

REFERENCES

- 1) Jadvar, R., et al., "Recovery of Gallium and Arsenic from GaAs Wafer Manufacturing Slurries," *Env. Progress* 10(4): 278-81, 1991.
- 2) Coleman, J.P., and B.F. Monzyk, "Oxidative Dissolution of Gallium Arsenide and Separation of Gallium from Arsenic," U.S. Patent 4,759,917; to Monsanto Co., July, 1988.
- 3) Yamashita, H., and K. Kato, "Recovery of Individual Metals from Gallium-Arsenic-Indium Semiconductor Wastes by Flotation," *Anal. Sci.* 6: 783-4, 1990.
- 4) Charlton, T.L., "Recovery of Gallium from Gallium Compounds," U.S. Patent 4,094,753; to Cominco Ltd., June, 1978.
- 5) Showa Keikinzoku K.K., "Recovery of Gallium," Jpn. Kokai Tokkyo Koho JP 59,213,622; December, 1984.
- 6) Inooka, M., "Metal Impurity Removal from Scrap Gallium," Jpn. Kokai Tokkyo Koho JP 63,270,428; to Chiyoda Chem. Eng. and Construct. Co., Ltd., November, 1988.
- 7) Nippon Mining Co., Ltd., "Recovery of Indium and Gallium from Scrap Semiconductors Containing III-V Compounds," Jpn. Kokai Tokkyo Koho JP 60,027,613; February, 1985.
- 8) Abrjutin, V.N., et al., "Process for Producing High-Purity Gallium," U.S. Patent 4,362,560; December, 1982.
- 9) Inooka, M., "Vacuum Pyrolysis of Scrap Gallium," Jpn. Kokai Tokkyo Koho JP 63,270,430; to Chiyoda Chem. Eng. and Construct. Co., Ltd., November, 1988.
- 10) Hirayanagi, K., and A. Sakamoto, "Recovery of Gallium," Jpn. Kokai Tokkyo Koho JP 61,076,627; to Showa Keikinzoku K.K., April, 1986.
- 11) Inooka, M., and M. Soma, "Method and Apparatus for Continuous Recovery of Gallium," Jpn. Kokai Tokkyo Koho JP 01 47,825; to Chiyoda Chem. Eng. and Construct. Co., Ltd., February, 1989.
- 12) Clauss, D., et al., "Recovery of Highly Pure Gallium from Thermally Decomposable Gallium Compounds," East German Patent 120,861; July, 1976.
- 13) Wolff, G.A., "Purification of Arsenic and Antimony," Patent US 2,944,885; 1960.
- 14) Geach, G.A. et al, "The Purification of Pure Arsenic," *J. Chem. Soc.* p. 1207, 1950.
- 15) Harada, R.H. and A.J. Strauss, "Preparation of Indium Arsenide," *Appl. Phys.* 30: 121, 1959.
- 16) Effer, D., "Purification of Arsenic," *J. Electrochem. Soc.*, 108: 357, 1961.
- 17) Antell, G.R. and T.W. Roberts, , "Method for Purification of Arsenic by Hydrogen Reduction," Patent US 2,975,048; 1961.
- 18) Mehal, E.W., "A Novel Approach to Purification of Arsenic," Patent US 3,039,755; 1962.
- 19) Weisberg, L.R. and P.R. Celmer, "Arsenic Purification by Crystal Growth from the Melt," *J. Electrochem. Soc.* 110: 56-9, 1963.
- 20) Weisberg,L.R. and F.D. Rossi, ""Vapor Zone Refining," *Rev. Sci. Instrum.* 31: 206-7, 1959.
- 21) Siemens – Schuckertwerke A.G., "High-Purity Elements and Compounds by Sublimation," Patent Belgium 661,023; 1965.

- 22) Baba, K. et al, "Muffle Reactor for Sublimation of Arsenic," Jpn. Kokai Tokkyo Koho JP 62,156,237; 1985.
- 23) Becker, K.P. et al, "High Purification of Volatile Substances," Patent Ger. (East) DD 234,410; 1986.
- 24) Richards, J.L., "Purification of a Metal by Zone-Refining One of its Salts," *Nature* 177: 182-3, 1956.
- 25) U.K. Admiralty, "Preparation of Pure Gallium," *Chemistry & Engineering News*, p.2887, 1956.
- 26) Goldsmith, N. et al, "The Preparation of High-Purity Gallium," *J. Less-Common Met.* 4: 564-71, 1962.
- 27) Kern, W., "Zone Refining of Gallium Trichloride," *J. Electrochem. Soc.* 110: 60-5, 1963.
- 28) Hutter, J.C. and A. Peyron, "Purification of Gallium by Halogenation and Electrolysis," Patent US 3,075,901; 1958.
- 29) Mayer, A., "Pure Gallium by Chloride Reduction," Patent US 3,150,965; 1961.
- 30) Kulifay, S.M., "Purifying Gallium by Washing with Acids," Patent US 3,166,405; 1965.
- 31) Stearns, R.I., "Purification of Gallium," *Nature* 203: 749-50, 1964.
- 32) Lysenko, V.I. and P.P.Tsyb, "Purification of Gallium from Microimpurities," *Zh. Prikl. Khim.* 38: 488-94, 1965.
- 33) Mikhailov, V.A. et al, "Removal of Impurities from Liquid Gallium by Electrodiffusion in Static Cells," *Dokl. Akad. Nauk SSSR* 184: 158-60, 1969.
- 34) Okamoto, Y. et al, "Preparation of High-Purity Gallium by Hydride Reduction," *Proc. Conf. Ultrapurif. Semicond. Mater., Boston, MA*, pp. 94-105, 1961.
- 35) Merkel, H., "Spectroscopically Pure Gallium," Patent US 2,927,853; 1960.
- 36) Zimmerman, W., "Gallium Purification by Single Crystal Growth," *Science* 119: 411-2, 1954.
- 37) Degil R. and C. Blaizat, Patent France 1,382,904; 1964.
- 38) Sinha, M.P. and S. Mahapatra, "SEM study of etching of GaAs substrates in the H₃PO₄:H₂O₂:H₂O system", *Microelectron. J.* 18(2): 48-51, 1987.
- 39) Wismayer, A.C. and B.L. Weiss, "The Etching of Ga_{0.7}Al_{0.3}As Using KI-I₂," *Mat. Lett.* 6(8,9): 284-6, 1988.
- 40) Hsieh, H.F. et al, "A Comparison of the Electrochemical Behavior of Illuminated n-InAs and other III-V Semiconductors in Concentrated Nitric Acid," *J. Electrochem. Soc.* 139(7): 1897-1902, 1992.
- 41) US Environmental Protection Agency, Methods for Chemical Analysis of Water and Wastewater, EPA-600/4-79/020, March 1983
- 42) Jadvar, R. et al, "Recovery of Gallium and Arsenic from GaAs Wafer Manufacturing Slurries," *Environ. Prog.* 10(4): 278-81, 1991.
- 43) Sebba, F. and W. Pugh, "Gallium IV. Phosphates and Arsenates of Gallium," *Trans. Roy. Soc. S. Africa* 25: 391-401, 1938.
- 44) Burger, Organic Reagents in Metal Analysis, Pergamon Press, 1973.
- 45) Suzuki, N. et al, "Liquid-Liquid Extraction of Arsenic(III), Arsenic(V), Methylarsonate and dimethyl arsinate in Various Systems," *Anal. Chim. Acta* 185: 239-48, 1986.

- 46) Votava, J. and M. Bartusek, "Reactions of Arsenic Acid with Pyrocatechol and pyrogallol," *Collect. Czech. Chem. Commun.* 42(2): 620-6, 1977.
- 47) Ruiz Cano-Cortez, J., "Solubility Products of Arsenic, Antimony and Bismuth Sulfides," *Dyna* 46(9): 405-6, 1971.
- 48) Fedor, J. et al, "Evaluation of the Possibility of Arsenic Storage in the Form of Sulfides," *Rudy* 37(2): 37-40, 1989.
- 49) Milyutina, N.A. et al, "Solubility of Sulfides and Oxides of Some Minor Metals in Aqueous Solutions of Sodium Sulfide," *Tr. Inst. Met. Obogashch., Akad. Nauk Kaz. SSR* 21: 14-19, 1967.
- 50) Sedlacik, J. et al, "Detoxification of Arsenic-Containing Wastewaters from Desulfurization of Coke-Oven Gas," Czech Patent, CS 261,397; 1989.
- 51) Mahapatra, P.P. et al, "Solubility of Calcium Hydrogen Arsenate in Aqueous Medium," *Indian. J. Chem.* 25A: 647-9, 1986.
- 52) Robins, R.G., "The Solubility of Barium Arsenate: Sherritt's Barium Arsenate Process," *Metall. Trans. B* 16: 404-6, 1985.
- 53) Mahapatra, P.P. et al, "Physicochemical Studies on Solid Solutions of Calcium Phosphorus Arsenic Hydroxyapatites," *Bull. Chem. Soc. Jpn.* 62: 3272-7, 1989.
- 54) Bard, et al., *Standard Potentials in Aqueous Solution*, Marcel Dekker, 1985.
- 55) CRC Handbook of Ion Exchange, Boca Raton, FL, 1986
- 56) Rane, A.T. and D.R. Nepali, "A Comparative Solvent Extraction Study of Indium(III) with 8-Mercatoquinolinol and Its Analogues," *Indian J. Chem.* 25A: 846-51, 1986.
- 57) Mohammad, B. et al, "On-Line Preconcentration of Aluminum, Gallium and Indium with Quinolin-8-ol for Determination by Atomic Absorption Spectrometry," *J. Anal. Atomic Spect.* 8: 325-31, 1993.
- 58) Saito, K. and M. Tamura, "Slow Isotopic Exchange of Chelate Compounds of Indium in Water and in Anhydrous Organic Solvent - letter," *J. Inorg. Nucl. Chem.* 13: 334-5, 1960.
- 59) Lewis, R.G., "Process for the Extraction of Gallium from Aqueous Solutions," U.S. Patent, US 4,965,054; 1990.
- 60) Abisheva, Z.S. et al, "Mechanism of Gallium Extraction by tri-n-octylamine," *Process Metall.* 7A: 949-54; 1992.
- 61) Fischer, C. et al, "On the Extraction of In(III) with tri-n-octylamine from HCl Solutions," *J. Inorg. Nucl. Chem.* 39:513-7, 1977.
- 62) Fischer, C. et al, "On the Extraction of In(III) with tri-n-octylamine from HBr and HI Solutions," *J. Inorg. Nucl. Chem.* 42: 891-5, 1980.
- 63) Yakabe, K. et al, "Liquid-Liquid Extraction of Gallium(III) Complex Ion from Aqueous Oxalic Acid Solutions with High Molecular Weight Amine," *J. Inorg. Nucl. Chem.* 39: 871-5, 1977.
- 64) Bagreev, V.V. and Yu.I Popandopulo, "Co-extraction and Suppression of Extraction of Thallium in the Presence of Indium, Gallium and Iron(III) in the Systems Trioctylamine-hydrochloric Acid and Aliquat 336-Hydrochloric Acid," *Proc. Anal. Div. Chem. Soc.* 15(1): 1-4, 1978.
- 65) Sato,T. et al, "Liquid-Liquid extraction of Gallium(III) from Hydrochloric Acid Solutions by Organophosphorus Compounds and High-Molecular Weight Amines," *Solvent Extr. Ion Exch.* 2(2): 201-12, 1984.

- 66) Ambulkar, R.S. et al, "Complexes of Gallium(III) with Pyrocatechol, Pyrogallol and Protocatechuic, α -Resorcyclic, Gallic and 2,3-Dihydroxynaphthalene-6-sulphonic Acids in Aqueous Medium," *Indian J. Chem.* 20A: 1044-6, 1981
- 67) Sato, T. and T. Nakamura, "Studies of the Crystallization of Gallium Hydroxide Precipitated from Hydrochloric Acid Solutions by various Alkalies," *J. Chem. Tech. Biotechnol.* 32: 469-75, 1982.
- 68) Yura, K. et al, "preparation and Properties of Uniform Colloidal Indium Compounds of Different Morphologies," *Colloids and Surfaces* 50: 281-93, 1990.
- 69) Thompson, L.C.A. and R. Pacer, "The Solubility of Indium Hydroxide in Acidic and basic Media at 25°C," *J. Inorg. Nucl. Chem.* 25(8): 1041-4, 1963.
- 70) Goiffon, A. et al, "Solubilités des Phases $M^{III}X^V O_4$ ($M=Al, Ga$; $X=P, As$) dans les Solutions d'Acide H_3XO_4 sous Conditions Hydrothermales: Application À la Crystallogénèse de l'Arsenate d'Aluminium $AlAsO_4$," *J. Cryst. Growth* 71: 763-70, 1985.
- 71) Dixit, K.R. et al, "Potentiometric Studies on Some Mixed Ligand Complexes of Gallium(III) and Indium(III) with Ethylenediaminediacetic Acid as Primary Ligand," *J. Indian Chem. Soc.* LXI: 199-201, 1984.
- 72) Kul'ba, F.Ya. et al, "Complexing of Gallium(III) with Oxalate Ions in an Aqueous Solution in Relation to Acidity," *Zh. Neorg. Khim.* 19(3): 674-80, 1974.
- 73) Kulshrestha, Renu, et al, "Polarographic Reduction of Indium(III) in its Mixed Ligand Complexes with Picolines and Carboxylate Ions," *Indian J. Chem.* 26A: 845-8, 1987.
- 74) Tunaboylu, K. and G. Schwarzenbach, "Solubility of Indium Sulfide," *Chimia* 24(12): 424-7, 1970.
- 75) Tananaev, I.V. and N.V. Bausova, "The Chemistry of Gallium Fluorides and Their Utilization for the Separation of Gallium from Other Metals," *Khim. Redkikh Elementov, Akad. Nauk SSSR, Inst. Obschei Neorg. Khim.* 2: 21-36, 1955
- 76) Vanhees, J. et al, "Standard Reduction Potential of the Indium-Indium(III) Electrode," *J. Phys. Chem.* 85: 1713-8, 1981.
- 77) Chao, Li-Chung and R. D. Rieke, "Preparation and Reactions of Highly reactive Indium Metal," *J. Organomet. Chem.* 67: C64-6, 1974.
- 78) Shimizu, Takafumi, "Manufacture of Fine Indium Powder," Jpn. Kokai Tokkyo Koho JP 63,270,404; 1988.
- 79) Harris, G.B. and S. Monette, "The Stability of Arsenic-Bearing Residues," *Arsenic Metall. Fundam. Appl., Proc. Symp.* pp. 469-88, 1988.
- 80) Stefanakis, M. and A. Kontopoulos, "Production on Environmentally Acceptable Arsenites-Arsenates from Solid Arsenic Trioxide," *Arsenic Metall. Fundam. Appl., Proc. Symp.* pp. 287-304, 1988.
- 81) Takahashi, T. and K. Sasaki, "Systems of ZnO - As_2O_5 - H_2O and Mg - As_2O_5 - H_2O ," *J. Chem. Soc. Japan* 56: 843-6, 1953.
- 82) Ivanov-Emin, B.N. and Ya.I. Rabovik, "The Acid Properties of Gallium Hydroxide," *J. Gen. Chem. U.S.S.R.* 14: 781-5, 1944.
- 83) Nazarenko, V.A. et al. "Spectrophotometric Determination of the Hydrolysis Constants of Gallium Ions," *Zh. Neorg. Khim.* 13(6): 1574-80, 1968